LAKEWATCH Report for Forked Creek in Sarasota County Watershed Region: West Central Using Data Downloaded 12/9/22

Introduction for River/Streams

This report summarizes data collected on systems that have been part of the LAKEWATCH program. Data are from the period of record for individual systems. The first part of this summary lists background data for each system, the second part lists the long-term data geometric means and ranges and the final part are the trend plots for nutrients, chlorophyll and Secchi depth. Plots were only made for systems with five or more years of data.



Figure 1. Map showing nutrient thresholds areas for streams set forth by FDEP.

Table 1. The nutrient thresholds for streams are listed in table below along with the map showing zones.

Nutrient Watershed	Total Phosphorus Nutrient	Total Nitrogen Nutrient Threshold ¹
Region	Threshold ¹	-
Panhandle West	60 μg/L	670 μg/L
Panhandle East	180 μg/L	1030 μg/L
North Central	300 μ/L	1870 μg/L
Peninsular	120 μg/L	1540 μg/L
West Central	490 μg/L	1650 μg/L
South Florida	No numeric nutrient threshold. The	No numeric nutrient threshold. The
	narrative criterion in paragraph 62-	narrative criterion in paragraph 62-
	302.530(47)(b), F.A.C., applies.	302.530(47)(b), F.A.C., applies.

¹These values are annual geometric mean concentrations not to be exceeded more than once in any three calendar year period.

- County: Name of county in which the system resides.
- Name: Stream name that LAKEWATCH uses for the system.
- GNIS Number: Number created by USGS's Geographic Names Information System.
- Water Body Type: Four different types of systems; lakes, estuaries, river/streams and springs.
- Period of Record (years): Number of years a system has been in the LAKEWATCH program.
- Latitude and Longitude: Coordinates identifying the exact location of station 1 for each system.

Table 2. Base File Data.

County	Sarasota
Name	Forked Creek
GNIS Number	
Water Body Type	River/Stream
Period of Record (years, range)	2 (2004 to 2005)
Latitude	27.0850
Longitude	-82.3778

Long-Term Data for River/Streams: Definitions

- Total Phosphorus (µg/L): The nutrient most often limiting growth of plant/algae.
- Total Nitrogen (µg/L): Another nutrient needed for aquatic plant/algae growth but only limiting when nitrogen to phosphorus ratios are generally less than 10.
- Chlorophyll-uncorrected (μ g/L): Chlorophyll concentrations are used to measure relative abundances of open water algal population.
- Secchi (ft), Secchi (m): Secchi measurements are estimates of water clarity.
- Color (Pt-Co Units): LAKEWATCH measures true color, which is the color of the water after particles have been filter out.
- Specific Conductance (µS/cm@25°C): Measurement of the ability of water to conduct electricity and can be used to estimate the amount of dissolved materials in water.

Table 3. Long-term trophic state data collected monthly by LAKEWATCH volunteers and color and specific conductance (collected quarterly).

Parameter	Minimum and Maximum	Grand Geometric Mean
	Annual Geometric Means	(Sampling years)
Total Phosphorus (µg/L)	207 - 259	232 (2)
Total Nitrogen (µg/L)	688 - 831	756 (2)
Chlorophyll- uncorrected (µg/L)	13 - 24	18 (2)
Secchi (ft)	3.0 - 3.4	3.2 (2)
Secchi (m)	0.9 -1.0	1.0 (2)
Color (Pt-Co Units)	16 - 24	20 (2)
Specific Conductance (µS/cm@25 C)	27000 - 27000	27000 (1)

LAKEWATCH Report for Saddle Creek-1 in Sarasota County Watershed Region: West Central Using Data Downloaded 12/9/22

Introduction for River/Streams

This report summarizes data collected on systems that have been part of the LAKEWATCH program. Data are from the period of record for individual systems. The first part of this summary lists background data for each system, the second part lists the long-term data geometric means and ranges and the final part are the trend plots for nutrients, chlorophyll and Secchi depth. Plots were only made for systems with five or more years of data.



Figure 1. Map showing nutrient thresholds areas for streams set forth by FDEP.

Table 1. The nutrient thresholds for streams are listed in table below along with the map showing zones.

Nutrient Watershed	Total Phosphorus Nutrient	Total Nitrogen Nutrient Threshold ¹
Region	Threshold ¹	-
Panhandle West	60 μg/L	670 μg/L
Panhandle East	180 μg/L	1030 μg/L
North Central	300 μ/L	1870 μg/L
Peninsular	120 μg/L	1540 μg/L
West Central	490 μg/L	1650 μg/L
South Florida	No numeric nutrient threshold. The	No numeric nutrient threshold. The
	narrative criterion in paragraph 62-	narrative criterion in paragraph 62-
	302.530(47)(b), F.A.C., applies.	302.530(47)(b), F.A.C., applies.

¹These values are annual geometric mean concentrations not to be exceeded more than once in any three calendar year period.

- County: Name of county in which the system resides.
- Name: Stream name that LAKEWATCH uses for the system.
- GNIS Number: Number created by USGS's Geographic Names Information System.
- Water Body Type: Four different types of systems; lakes, estuaries, river/streams and springs.
- Period of Record (years): Number of years a system has been in the LAKEWATCH program.
- Latitude and Longitude: Coordinates identifying the exact location of station 1 for each system.

Table 2. Base File Data.

County	Sarasota
Name	Saddle Creek-1
GNIS Number	
Water Body Type	River/Stream
Period of Record (years, range)	1 (2007 to 2007)
Latitude	27.2664
Longitude	-82.3857

Long-Term Data for River/Streams: Definitions

- Total Phosphorus (µg/L): The nutrient most often limiting growth of plant/algae.
- Total Nitrogen (µg/L): Another nutrient needed for aquatic plant/algae growth but only limiting when nitrogen to phosphorus ratios are generally less than 10.
- Chlorophyll-uncorrected (μ g/L): Chlorophyll concentrations are used to measure relative abundances of open water algal population.
- Secchi (ft), Secchi (m): Secchi measurements are estimates of water clarity.
- Color (Pt-Co Units): LAKEWATCH measures true color, which is the color of the water after particles have been filter out.
- Specific Conductance (µS/cm@25°C): Measurement of the ability of water to conduct electricity and can be used to estimate the amount of dissolved materials in water.

Table 3. Long-term trophic state data collected monthly by LAKEWATCH volunteers and color and specific conductance (collected quarterly).

Parameter	Minimum and Maximum	Grand Geometric Mean
	Annual Geometric Means	(Sampling years)
Total Phosphorus (μg/L)	1297 - 1297	1297 (1)
Total Nitrogen (µg/L)	3570 - 3570	3570 (1)
Chlorophyll- uncorrected (µg/L)	23 - 23	23 (1)
Secchi (ft)	3.0 - 3.0	3.0 (1)
Secchi (m)	0.9 -0.9	0.9 (1)
Color (Pt-Co Units)	-	(0)
Specific Conductance (µS/cm@25 C)	-	(0)

LAKEWATCH Report for Saddle Creek-2 in Sarasota County Watershed Region: West Central Using Data Downloaded 12/9/22

Introduction for River/Streams

This report summarizes data collected on systems that have been part of the LAKEWATCH program. Data are from the period of record for individual systems. The first part of this summary lists background data for each system, the second part lists the long-term data geometric means and ranges and the final part are the trend plots for nutrients, chlorophyll and Secchi depth. Plots were only made for systems with five or more years of data.



Figure 1. Map showing nutrient thresholds areas for streams set forth by FDEP.

Table 1. The nutrient thresholds for streams are listed in table below along with the map showing zones.

Nutrient Watershed	Total Phosphorus Nutrient	Total Nitrogen Nutrient Threshold ¹
Region	Threshold ¹	-
Panhandle West	60 μg/L	670 μg/L
Panhandle East	180 μg/L	1030 μg/L
North Central	300 μ/L	1870 μg/L
Peninsular	120 μg/L	1540 μg/L
West Central	490 μg/L	1650 μg/L
South Florida	No numeric nutrient threshold. The	No numeric nutrient threshold. The
	narrative criterion in paragraph 62-	narrative criterion in paragraph 62-
	302.530(47)(b), F.A.C., applies.	302.530(47)(b), F.A.C., applies.

¹These values are annual geometric mean concentrations not to be exceeded more than once in any three calendar year period.

- County: Name of county in which the system resides.
- Name: Stream name that LAKEWATCH uses for the system.
- GNIS Number: Number created by USGS's Geographic Names Information System.
- Water Body Type: Four different types of systems; lakes, estuaries, river/streams and springs.
- Period of Record (years): Number of years a system has been in the LAKEWATCH program.
- Latitude and Longitude: Coordinates identifying the exact location of station 1 for each system.

Table 2. Base File Data.

County	Sarasota
Name	Saddle Creek-2
GNIS Number	
Water Body Type	River/Stream
Period of Record (years, range)	1 (2007 to 2007)
Latitude	27.2615
Longitude	-82.3857

Long-Term Data for River/Streams: Definitions

- Total Phosphorus (µg/L): The nutrient most often limiting growth of plant/algae.
- Total Nitrogen (µg/L): Another nutrient needed for aquatic plant/algae growth but only limiting when nitrogen to phosphorus ratios are generally less than 10.
- Chlorophyll-uncorrected (μ g/L): Chlorophyll concentrations are used to measure relative abundances of open water algal population.
- Secchi (ft), Secchi (m): Secchi measurements are estimates of water clarity.
- Color (Pt-Co Units): LAKEWATCH measures true color, which is the color of the water after particles have been filter out.
- Specific Conductance (µS/cm@25°C): Measurement of the ability of water to conduct electricity and can be used to estimate the amount of dissolved materials in water.

Table 3. Long-term trophic state data collected monthly by LAKEWATCH volunteers and color and specific conductance (collected quarterly).

Parameter	Minimum and Maximum	Grand Geometric Mean
	Annual Geometric Means	(Sampling years)
Total Phosphorus (μg/L)	1353 - 1353	1353 (1)
Total Nitrogen (µg/L)	3670 - 3670	3670 (1)
Chlorophyll- uncorrected (µg/L)	21 - 21	21 (1)
Secchi (ft)	3.0 - 3.0	3.0 (1)
Secchi (m)	0.9 -0.9	0.9 (1)
Color (Pt-Co Units)	-	(0)
Specific Conductance (µS/cm@25 C)	-	(0)

LAKEWATCH Report for Saddle Creek-3 in Sarasota County Watershed Region: West Central Using Data Downloaded 12/9/22

Introduction for River/Streams

This report summarizes data collected on systems that have been part of the LAKEWATCH program. Data are from the period of record for individual systems. The first part of this summary lists background data for each system, the second part lists the long-term data geometric means and ranges and the final part are the trend plots for nutrients, chlorophyll and Secchi depth. Plots were only made for systems with five or more years of data.



Figure 1. Map showing nutrient thresholds areas for streams set forth by FDEP.

Table 1. The nutrient thresholds for streams are listed in table below along with the map showing zones.

Nutrient Watershed	Total Phosphorus Nutrient	Total Nitrogen Nutrient Threshold ¹
Region	Threshold ¹	-
Panhandle West	60 μg/L	670 μg/L
Panhandle East	180 μg/L	1030 μg/L
North Central	300 μ/L	1870 μg/L
Peninsular	120 μg/L	1540 μg/L
West Central	490 μg/L	1650 μg/L
South Florida	No numeric nutrient threshold. The	No numeric nutrient threshold. The
	narrative criterion in paragraph 62-	narrative criterion in paragraph 62-
	302.530(47)(b), F.A.C., applies.	302.530(47)(b), F.A.C., applies.

¹These values are annual geometric mean concentrations not to be exceeded more than once in any three calendar year period.

- County: Name of county in which the system resides.
- Name: Stream name that LAKEWATCH uses for the system.
- GNIS Number: Number created by USGS's Geographic Names Information System.
- Water Body Type: Four different types of systems; lakes, estuaries, river/streams and springs.
- **Period of Record (years)**: Number of years a system has been in the LAKEWATCH program.
- Latitude and Longitude: Coordinates identifying the exact location of station 1 for each system.

Table 2. Base File Data.

County	Sarasota
Name	Saddle Creek-3
GNIS Number	
Water Body Type	River/Stream
Period of Record (years, range)	1 (2007 to 2007)
Latitude	27.2565
Longitude	-82.3844

Long-Term Data for River/Streams: Definitions

- Total Phosphorus (µg/L): The nutrient most often limiting growth of plant/algae.
- Total Nitrogen (µg/L): Another nutrient needed for aquatic plant/algae growth but only limiting when nitrogen to phosphorus ratios are generally less than 10.
- Chlorophyll-uncorrected (μ g/L): Chlorophyll concentrations are used to measure relative abundances of open water algal population.
- Secchi (ft), Secchi (m): Secchi measurements are estimates of water clarity.
- Color (Pt-Co Units): LAKEWATCH measures true color, which is the color of the water after particles have been filter out.
- Specific Conductance (µS/cm@25°C): Measurement of the ability of water to conduct electricity and can be used to estimate the amount of dissolved materials in water.

Table 3. Long-term trophic state data collected monthly by LAKEWATCH volunteers and color and specific conductance (collected quarterly).

Parameter	Minimum and Maximum	Grand Geometric Mean
	Annual Geometric Means	(Sampling years)
Total Phosphorus (μg/L)	1308 - 1308	1308 (1)
Total Nitrogen (µg/L)	4730 - 4730	4730 (1)
Chlorophyll- uncorrected (µg/L)	22 - 22	22 (1)
Secchi (ft)	-	(0)
Secchi (m)	-	(0)
Color (Pt-Co Units)	-	(0)
Specific Conductance (µS/cm@25 C)	-	(0)

LAKEWATCH Report for Snover Waterway-1 in Sarasota County Watershed Region: West Central Using Data Downloaded 12/9/22

Introduction for River/Streams

This report summarizes data collected on systems that have been part of the LAKEWATCH program. Data are from the period of record for individual systems. The first part of this summary lists background data for each system, the second part lists the long-term data geometric means and ranges and the final part are the trend plots for nutrients, chlorophyll and Secchi depth. Plots were only made for systems with five or more years of data.



Figure 1. Map showing nutrient thresholds areas for streams set forth by FDEP.

Table 1. The nutrient thresholds for streams are listed in table below along with the map showing zones.

Nutrient Watershed	Total Phosphorus Nutrient	Total Nitrogen Nutrient Threshold ¹
Region	Threshold ¹	-
Panhandle West	60 μg/L	670 μg/L
Panhandle East	180 μg/L	1030 μg/L
North Central	300 μ/L	1870 μg/L
Peninsular	120 μg/L	1540 μg/L
West Central	490 μg/L	1650 μg/L
South Florida	No numeric nutrient threshold. The	No numeric nutrient threshold. The
	narrative criterion in paragraph 62-	narrative criterion in paragraph 62-
	302.530(47)(b), F.A.C., applies.	302.530(47)(b), F.A.C., applies.

¹These values are annual geometric mean concentrations not to be exceeded more than once in any three calendar year period.

- County: Name of county in which the system resides.
- Name: Stream name that LAKEWATCH uses for the system.
- GNIS Number: Number created by USGS's Geographic Names Information System.
- Water Body Type: Four different types of systems; lakes, estuaries, river/streams and springs.
- Period of Record (years): Number of years a system has been in the LAKEWATCH program.
- Latitude and Longitude: Coordinates identifying the exact location of station 1 for each system.

Table 2. Base File Data.

County	Sarasota
Name	Snover Waterway-1
GNIS Number	
Water Body Type	River/Stream
Period of Record (years, range)	2 (2020 to 2021)
Latitude	27.0766
Longitude	-82.2058

Long-Term Data for River/Streams: Definitions

- Total Phosphorus (µg/L): The nutrient most often limiting growth of plant/algae.
- Total Nitrogen (µg/L): Another nutrient needed for aquatic plant/algae growth but only limiting when nitrogen to phosphorus ratios are generally less than 10.
- Chlorophyll-uncorrected (μ g/L): Chlorophyll concentrations are used to measure relative abundances of open water algal population.
- Secchi (ft), Secchi (m): Secchi measurements are estimates of water clarity.
- Color (Pt-Co Units): LAKEWATCH measures true color, which is the color of the water after particles have been filter out.
- Specific Conductance (µS/cm@25°C): Measurement of the ability of water to conduct electricity and can be used to estimate the amount of dissolved materials in water.

Table 3. Long-term trophic state data collected monthly by LAKEWATCH volunteers and color and specific conductance (collected quarterly).

Parameter	Minimum and Maximum	Grand Geometric Mean
	Annual Geometric Means	(Sampling years)
Total Phosphorus (μg/L)	97 - 230	149 (2)
Total Nitrogen (µg/L)	969 - 1486	1200 (2)
Chlorophyll- uncorrected (µg/L)	14 - 18	16 (2)
Secchi (ft)	1.9 - 2.4	2.1 (2)
Secchi (m)	0.6 -0.7	0.7 (2)
Color (Pt-Co Units)	73 - 221	127 (2)
Specific Conductance (µS/cm@25 C)	474 - 691	572 (2)

LAKEWATCH Report for Snover Waterway-2 in Sarasota County Watershed Region: West Central Using Data Downloaded 12/9/22

Introduction for River/Streams

This report summarizes data collected on systems that have been part of the LAKEWATCH program. Data are from the period of record for individual systems. The first part of this summary lists background data for each system, the second part lists the long-term data geometric means and ranges and the final part are the trend plots for nutrients, chlorophyll and Secchi depth. Plots were only made for systems with five or more years of data.



Figure 1. Map showing nutrient thresholds areas for streams set forth by FDEP.

Table 1. The nutrient thresholds for streams are listed in table below along with the map showing zones.

Nutrient Watershed	Total Phosphorus Nutrient	Total Nitrogen Nutrient Threshold ¹
Region	Threshold ¹	-
Panhandle West	60 μg/L	670 μg/L
Panhandle East	180 μg/L	1030 μg/L
North Central	300 μ/L	1870 μg/L
Peninsular	120 μg/L	1540 μg/L
West Central	490 μg/L	1650 μg/L
South Florida	No numeric nutrient threshold. The	No numeric nutrient threshold. The
	narrative criterion in paragraph 62-	narrative criterion in paragraph 62-
	302.530(47)(b), F.A.C., applies.	302.530(47)(b), F.A.C., applies.

¹These values are annual geometric mean concentrations not to be exceeded more than once in any three calendar year period.

- County: Name of county in which the system resides.
- Name: Stream name that LAKEWATCH uses for the system.
- GNIS Number: Number created by USGS's Geographic Names Information System.
- Water Body Type: Four different types of systems; lakes, estuaries, river/streams and springs.
- Period of Record (years): Number of years a system has been in the LAKEWATCH program.
- Latitude and Longitude: Coordinates identifying the exact location of station 1 for each system.

Table 2. Base File Data.

County	Sarasota
Name	Snover Waterway-2
GNIS Number	
Water Body Type	River/Stream
Period of Record (years, range)	2 (2020 to 2021)
Latitude	27.0767
Longitude	-82.2124

Long-Term Data for River/Streams: Definitions

- Total Phosphorus (µg/L): The nutrient most often limiting growth of plant/algae.
- Total Nitrogen (µg/L): Another nutrient needed for aquatic plant/algae growth but only limiting when nitrogen to phosphorus ratios are generally less than 10.
- Chlorophyll-uncorrected (μ g/L): Chlorophyll concentrations are used to measure relative abundances of open water algal population.
- Secchi (ft), Secchi (m): Secchi measurements are estimates of water clarity.
- Color (Pt-Co Units): LAKEWATCH measures true color, which is the color of the water after particles have been filter out.
- Specific Conductance (µS/cm@25°C): Measurement of the ability of water to conduct electricity and can be used to estimate the amount of dissolved materials in water.

Table 3. Long-term trophic state data collected monthly by LAKEWATCH volunteers and color and specific conductance (collected quarterly).

Parameter	Minimum and Maximum	Grand Geometric Mean
	Annual Geometric Means	(Sampling years)
Total Phosphorus (μg/L)	96 - 235	150 (2)
Total Nitrogen (µg/L)	1019 - 1492	1233 (2)
Chlorophyll- uncorrected (µg/L)	16 - 16	16 (2)
Secchi (ft)	1.8 - 2.2	2.0 (2)
Secchi (m)	0.5 -0.7	0.6 (2)
Color (Pt-Co Units)	205 - 238	221 (2)
Specific Conductance (µS/cm@25 C)	408 - 500	452 (2)

LAKEWATCH Report for Snover Waterway-3 in Sarasota County Watershed Region: West Central Using Data Downloaded 12/9/22

Introduction for River/Streams

This report summarizes data collected on systems that have been part of the LAKEWATCH program. Data are from the period of record for individual systems. The first part of this summary lists background data for each system, the second part lists the long-term data geometric means and ranges and the final part are the trend plots for nutrients, chlorophyll and Secchi depth. Plots were only made for systems with five or more years of data.



Figure 1. Map showing nutrient thresholds areas for streams set forth by FDEP.

Table 1. The nutrient thresholds for streams are listed in table below along with the map showing zones.

Nutrient Watershed	Total Phosphorus Nutrient	Total Nitrogen Nutrient Threshold ¹
Region	Threshold ¹	-
Panhandle West	60 μg/L	670 μg/L
Panhandle East	180 μg/L	1030 μg/L
North Central	300 μ/L	1870 μg/L
Peninsular	120 μg/L	1540 μg/L
West Central	490 μg/L	1650 μg/L
South Florida	No numeric nutrient threshold. The	No numeric nutrient threshold. The
	narrative criterion in paragraph 62-	narrative criterion in paragraph 62-
	302.530(47)(b), F.A.C., applies.	302.530(47)(b), F.A.C., applies.

¹These values are annual geometric mean concentrations not to be exceeded more than once in any three calendar year period.

- County: Name of county in which the system resides.
- Name: Stream name that LAKEWATCH uses for the system.
- GNIS Number: Number created by USGS's Geographic Names Information System.
- Water Body Type: Four different types of systems; lakes, estuaries, river/streams and springs.
- Period of Record (years): Number of years a system has been in the LAKEWATCH program.
- Latitude and Longitude: Coordinates identifying the exact location of station 1 for each system.

Table 2. Base File Data.

County	Sarasota
Name	Snover Waterway-3
GNIS Number	
Water Body Type	River/Stream
Period of Record (years, range)	2 (2020 to 2021)
Latitude	27.0768
Longitude	-82.2180

Long-Term Data for River/Streams: Definitions

- Total Phosphorus (µg/L): The nutrient most often limiting growth of plant/algae.
- Total Nitrogen (µg/L): Another nutrient needed for aquatic plant/algae growth but only limiting when nitrogen to phosphorus ratios are generally less than 10.
- Chlorophyll-uncorrected (μ g/L): Chlorophyll concentrations are used to measure relative abundances of open water algal population.
- Secchi (ft), Secchi (m): Secchi measurements are estimates of water clarity.
- Color (Pt-Co Units): LAKEWATCH measures true color, which is the color of the water after particles have been filter out.
- Specific Conductance (µS/cm@25°C): Measurement of the ability of water to conduct electricity and can be used to estimate the amount of dissolved materials in water.

Table 3. Long-term trophic state data collected monthly by LAKEWATCH volunteers and color and specific conductance (collected quarterly).

Parameter	Minimum and Maximum	Grand Geometric Mean
	Annual Geometric Means	(Sampling years)
Total Phosphorus (μg/L)	95 - 242	151 (2)
Total Nitrogen (µg/L)	1047 - 1507	1256 (2)
Chlorophyll- uncorrected (µg/L)	15 - 20	18 (2)
Secchi (ft)	1.5 - 2.3	1.9 (2)
Secchi (m)	0.5 -0.7	0.6 (2)
Color (Pt-Co Units)	217 - 267	241 (2)
Specific Conductance (µS/cm@25 C)	437 - 498	467 (2)